

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	70	((linear adj compressor) with (efficiency near3 (increas\$3 or maxim\$6 or adjust\$6 or chang\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 10:46
L2	0	1 and (position with (displac\$6 or compensat\$6)) and resistance and inductance and ((constant or coefficient) with ((back adj emf) or bemf or (counter adj emf) or cemf))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 10:49
L3	95	US-4558570-\$.DID. OR US-4772838-\$.DID. OR US-4930409-\$.DID. OR US-5499547-\$.DID. OR US-5761960-\$.DID. OR US-5765378-\$.DID. OR US-5765512-\$.DID. OR US-5826550-\$.DID. OR US-4014392-\$.DID. OR US-4308720-\$.DID. OR US-4342428-\$.DID. OR US-4345442-\$.DID. OR US-4346318-\$.DID. OR US-4388048-\$.DID. OR US-4387781-\$.DID. OR US-4388808-\$.DID. OR US-4417448-\$.DID. OR US-	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2008/02/15 10:52

4442928-\$.DID.  
OR US-4455497-  
\$.DID. OR US-  
4475346-\$.DID.  
OR US-4483280-  
\$.DID. OR US-  
4519535-\$.DID.  
OR US-4522162-  
\$.DID. OR US-  
4534176-\$.DID.  
OR US-4544090-  
\$.DID. OR US-  
4545209-\$.DID.  
OR US-4578956-  
\$.DID. OR US-  
4583027-\$.DID.  
OR US-4606705-  
\$.DID. OR US-  
4761960-\$.DID.  
OR US-4769997-  
\$.DID. OR US-  
4798054-\$.DID.  
OR US-4819439-  
\$.DID. OR US-  
4887943-\$.DID.  
OR US-4924675-  
\$.DID. OR US-  
4965864-\$.DID.  
OR US-5018357-  
\$.DID. OR US-  
5040372-\$.DID.  
OR US-5244357-  
\$.DID. OR US-  
5257915-\$.DID.  
OR US-5261799-  
\$.DID. OR US-  
5318412-\$.DID.  
OR US-5388390-  
\$.DID. OR US-  
5417083-\$.DID.  
OR US-5535593-  
\$.DID. OR US-  
5546073-\$.DID.  
OR US-5582013-  
\$.DID. OR US-  
5628202-\$.DID.  
OR US-5642618-  
\$.DID.

L4	0	3 and (position with (displac\$6 or compensat\$6 or error or differen\$8)) and resistance and inductance and ((constant or coefficient) with ((back adj emf) or bemf or (counter adj emf) or cemf))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 10:53
L5	7	3 and "318"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 10:54
L6	0	1 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 10:55
L7	70	1 or 4 and (dead adj center)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 10:58
L8	1	7 and ((dead adj center) with (command\$3 or predeterm\$3 or referenc\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 10:59
L9	0	3 and (position with (command \$3 or predeterm \$6 or referenc \$3)) and resistance and inductance and ((constant or coefficient) with ((back adj emf) or bemf or (counter adj emf) or cemf))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 11:17
L10	1023	318/135.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 11:38
L11	174	318/119.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 11:38

L12	114	318/14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 11:38
L13	0	318/21.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 11:38
L14	176	318/127.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 11:41
L15	328	318/128.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 11:41
L16	60	318/133.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 11:42
L17	1777	(10 or 11 or 12 or 14 or 15 or 16)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 11:42
L18	0	((linear adj compressor) with (efficiency near3 (increas\$3 or maxim\$6 or adjust\$6 or chang \$3))) and ((dead adj center) with (command\$3 or predeterm\$3 or referenc\$3)) and (position with (displac\$6 or compensat\$6 or error or differen \$8)) and resistance and inductance and ((constant or coefficient) with ((back adj emf) or bemf or (counter adj emf) or cemf))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 11:44

L19	0	17 and ((linear adj compressor) with (efficiency near3 (increas\$3 or maxim\$6 or adjust\$6 or chang \$3))) and (dead adj center)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 11:45
L20	3	17 and ((command\$3 or predeterm\$3 or referenc\$3) with position) and ((displac\$6 or compensat\$6 or error or differen \$8) with (center or position)) and resistance and inductance and ((constant or coefficient) with ((back adj emf) or bemf or (counter adj emf) or cemf))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 11:48
L21	0	20 and (synchroniz\$6 with ((actual or driv\$3) near3 current) with ((actual or detect \$6 or measur\$6 or sens\$3) near3 current))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/02/15 12:08

2/15/08 12:11:18 PM

C:\Documents and Settings\rleykin\My Documents\EAST\Workspaces\10-790700.  
wsp